



## WZ30-25 BACKHOE LOADER SPECIFICATIONS

- Equipped with reliable genuine Cummins engine
- 4 forward & 4 reverse synchromesh mechanical shift transmission
- Combined seal cylinder obtains high seal performance and more reliability
- Improved loader and backhoe performance
- CARRARO wet type rear axle with multi-disc brake & CARRARO front axle
- New-type cab with more space, increases comfort and visibility
- With 2 wheel driving or 4 wheel driving for option

Overall Dimension		
1	Length(with bucket on ground)	7077(mm)
2	Width	2350(mm)
3	Load Bucket width	2313(mm)
4	Height(To the top of the cab)	2720 (mm)
5	Height(To the top of the digging pole)	3424 (mm)
6	Wheelbase	2155.5(mm)

Address: No. 10 Changlin Road, Changzhou, Jiangsu, China 213002  
 Tel: +86-519-86781288 86752400 86781018  
 Website: [www.changlin.com.cn](http://www.changlin.com.cn); [www.cn-changlin.com](http://www.cn-changlin.com)

中国, 江苏, 常州, 常林路 10 号  
 Fax: +86-519-86781387  
 Email: changlinexport@yahoo.com  
 sales@changlin.com.cn







<b>Oil Capacity</b>		
1	Fuel(diesel)	151(L)
2	Engine lubricating oil	11(L)
3	Oil for converter and gear box	18.5(L)
4	Oil for hydraulic system	110(L)
5	Oil for driving axles ( F/R )	7.6 + 17(L)